14.0 REFERENCES

- Adams, N. S., and D. W. Rondorf. 1999. Migrational characteristics of juvenile chinook salmon in the forebay of Lower Granite Dam relative to the 1998 surface bypass collector tests. Annual Report (draft) of U.S. Geological Survey, Biological Resources Division, Cook, Washington, to U.S. Army Corps of Engineers, Walla Walla District, Walla Walla, Washington.
- ASCE (American Society of Civil Engineers). 1995. Guidelines for design of intakes for hydroelectric plans. Committee on Hydropower Intakes of the Energy Division, ASCE, Reston, Virginia.
- Barnes, C. A., C. Duxbury, and B. A. Morse. 1972. Circulation and selected properties of the Columbia River plume at sea. Pages 41-80 *in* A. T. Pruter and D. L. Alverson, editors. The Columbia River estuary and adjacent ocean waters. University of Washington Press, Seattle.
- Barnthouse, L. W., A. Anganuzzi, L. Botsford, J. Kitchell, and S. Saila. 1994. Columbia basin salmonid model review: review of Biological Requirements Work Group report on analytical methods for determining requirements of listed Snake River salmon relative to survival and recovery. Oak Ridge National Laboratory, Oak Ridge, Tennessee.

 December.
- Battelle and USGS (U.S. Geological Survey). 2000. Assessment of the impacts of development and operation of the Columbia River hydroelectric system on mainstem riverine processes and salmon habitats. Battelle Pacific Northwest Division, Richland, Washington, and USGS, Biological Resources Division, Cook, Washington.
- Beamesderfer, R. C. 1992. Reproduction and early life history of northern squawfish, *Ptychocheilus oregonenesis*, in Idaho's St. Joe River. Environmental Biology of Fishes 35:231-241.
- Beamesderfer, R. C., B. E. Rieman, L. J. Bledsoe, and S. Vigg. 1990. Management implications of a model of predation by a resident fish on juvenile salmonids migrating through a Columbia River reservoir. North American Journal of Fisheries Management 10:290-304.
- Beamesderfer, R. C., D. L. Ward, and A. A. Nigro. 1996. Evaluation of the biological basis for a predator control program on northern squawfish (*Ptychocheilus oregonensis*) in the Columbia and Snake rivers. Canadian Journal of Fisheries and Aquatic Sciences 53:2898-2908.

- Beckman, B. R., D. A. Larsen, C. Sharpe, B. Lee-Pawlak, C. B. Schreck, and W. W. Dickhoff. 2000. Physiological status of naturally reared juvenile spring chinook salmon in the Yakima River: seasonal dynamics and changes associated with smolting. Transactions of the American Fisheries Society 129:727-753.
- Bell, M. C. 1991. Fisheries handbook of engineering requirements and biological criteria, fish passage and development program. U.S. Army Corps of Engineers, North Pacific Division, Portland, Oregon.
- Bell, M. C., A. C. Delacy, G. J. Paulik, K. J. Bruya, and C. T. Scott. 1981. Updated compendium on the success of passage of small fish through turbines. Report to U.S. Army Corps of Engineers, North Pacific Division, Portland, Oregon.
- Benner, P. A., and J. R. Sedell. 1997. Upper Willamette River landscape: a historic perspective. Pages 23-47 *in* A. Laenen and D. Dunnette, editors. River quality: dynamics and restoration. CRC Lewis Publishers, Boca Raton, Florida.
- Bentley, W. W., and H. L. Raymond. 1976. Delayed migration of yearling chinook salmon since completion of Lower Monumental and Little Goose dams on the Snake River. Transactions of the American Fisheries Society 105:422-424.
- Berggren, T. J., and M. J. Filardo. 1993. An analysis of variables influencing the migration of juvenile salmonids in the Columbia River basin. North American Journal of Fisheries Management 13:48-63.
- Bevan, D., J. Harville, P. Bergman, T. Bjornn, J. Crutchfield, P. Klingeman, and J. Litchfield. 1994. Snake River Salmon Recovery Team: final recommendations to National Marine Fisheries Service. May.
- Beyer, J. M., G. Lucchetti, and G. Gray. 1988. Digestive tract evacuation in northern squawfish (*Ptychocheilus oregonenesis*). Canadian Journal of Fisheries and Aquatic Sciences 45:548-553.
- BioSonics. 1998. Hydroacoustic evaluation and studies at Bonneville Dam, spring/summer 1997. Volume 1: fish passage. Biosonics, Inc., Seattle, Washington, to U.S. Army Corps of Engineers, Portland District, Portland, Oregon.
- Bjornn, T. C. 1989. An assessment of adult losses, production rates, and escapements for wild spring and chinook salmon in the Snake River. Pages 29-38 *in* D. L. Park, convenor. Status and future of spring chinook salmon in the Columbia River basin–conservation and enforcement. National Marine Fisheries Service, Northwest Fisheries Science Center, NOAA Technical Memorandum NMFS F/NWC-187 (1990), Seattle, Washington.

- Bjornn, T. 1998. Fax re: chinook salmon passage times at Lower Granite Dam, 1996 and 1997, plotted against river flow and spill at the dam at the time fish entered the trailrace, to R. Kalamasz, S. Pettit, and J. Ceballos, from T. Bjornn, University of Idaho, Moscow. April 4.
- Bjornn, T. 2000. Fax re: spill at Snake River dams, to J. Ceballos, National Marine Fisheries Service, from T. Bjornn, University of Idaho, Moscow. January 20.
- Bjornn, T. C., J. P. Hunt, K. R. Tolotti, P. J. Keniry, and R. R. Ringe. 1995. Migration of adult chinook salmon and steelhead past dams and reservoirs in the lower Snake River and into tributaries 1993. Technical Report 95-1 of Idaho Cooperative Fish and Wildlife Research Unit, University of Idaho, Moscow, for U.S. Army Corps of Engineers, Walla Walla District, Walla Walla, Washington, and Bonneville Power Administration, Portland, Oregon.
- Bjornn, T. C., M. L. Keefer, C. A. Peery, K. R. Tolotti, R. R. Ringe, and L. C. Stuehrenburg. 1999. Adult chinook and sockeye salmon, and steelhead fallback rates at Bonneville Dam 1996, 1997, and 1998. Idaho Cooperative Fish and Wildlife Research Unit, University of Idaho, Moscow, for U.S. Army Corps of Engineers, Portland, Oregon.
- Bjornn, T. C., and C. A. Peery. 1992. A review of literature related to movements of adult salmon and steelhead past dams and through reservoirs in the lower Snake River. Technical Report 92-1 of Idaho Cooperative Fish and Wildlife Research Unit, University of Idaho, Moscow, for U.S. Army Corps of Engineers.
- Bjornn. T. C., K. R. Tolotti, J. P. Hunt, P. J. Keniry, R. R. Ringe, and C. A. Peery. 1998. Passage of chinook salmon through lower Snake River and distribution into the tributaries, 1991 1993. Part 1. Idaho Cooperative Fish and Wildlife Research Unit, University of Idaho, Moscow, for U.S. Army Corps of Engineers, Walla Walla District, Walla Walla, Washington.
- Blankenship, H. L., and G. W. Mendel, editors. 1997. Upstream passage, spawning, and stock identification of fall chinook salmon in the Snake River, 1992. Annual Report of Washington Department of Fisheries to Bonneville Power Administration, Portland, Oregon.
- BOR (U.S. Bureau of Reclamation). 1999a. Biological assessment on operations of the Federal Columbia River Power System for 2000 and beyond. Appendix A: description of Bureau of Reclamation projects in the Columbia River basin. BOR, Pacific Northwest Region, Boise, Idaho. December.

- BOR (U.S. Bureau of Reclamation). 1999b. Cumulative effects of water use: an estimate of the hydrologic impacts of water resource development in the Columbia River basin. Cumulative hydrologic effects of water use: an estimate of the hydrologic impacts of water resource development in the Columbia River basin. BOR, Pacific Northwest Region, Final Report, Boise, Idaho. June.
- BOR (U.S. Bureau of Reclamation). 2000a. Untitled (water use upstream from McNary Dam). QuattroPro spreadsheet 500irrusewithstorage.wb3. J. Peterson, BOR, Pacific Northwest Division, Boise, Idaho. May 3.
- BOR (U.S. Bureau of Reclamation). 2000b. Untitled (water use downstream from McNary Dam). QuattroPro spreadsheet 500irrusewithstoragebelowmcnary.qpw. J. Peterson, BOR, Pacific Northwest Division, Boise, Idaho. May 20.
- BOR (U.S. Bureau of Reclamation). 2000c. Memorandum re: consultation on project water quality impacts, to K. Predde, BOR, from D. Zimmer, BOR, Pacific Northwest Division, Boise, Idaho. April 25.
- BOR (U.S. Bureau of Reclamation). 2000d. Letter re: treatment of Reclamation's Snake River projects in biological opinions, to B. Brown, National Marine Fisheries Service, Portland, Oregon, and W. Shake, U.S. Fish and Wildlife Service, Portland, Oregon, from J. W. McDonald, BOR, Pacific Northwest Region, Boise, Idaho.
- Botsford, L. 1997. Depensation, performance standards, and probabilities of extinction for Columbia spring/summer chinook salmon. *In* D. Marmorek and C. Peters, editors. Plan for analyzing and testing hypotheses (PATH): retrospective and prospective analyses of spring/summer chinook reviewed in FY 1997. ESSA Technologies, Ltd. Vancouver, B.C.
- Botsford, L. W., and J. G. Brittnacher. 1997. Viability of Sacramento River winter-run chinook salmon. Conservation Biology 12(1):65-79.
- Bottom, D. L., P. J. Howell, and J. D. Rodgers. 1985. The effects of stream alterations on salmon and trout habitat in Oregon. Oregon Department of Fish and Wildlife, Portland.
- Bottom, D. L., and K. K. Jones. 1990. Community structure, distribution, and invertebrate prey of fish assemblages in the Columbia River estuary. Progressive Oceanography 25:211-241.
- Bottom, D., S. Simenstad, A. Baptista, D. Jay, J. Burke, E. Casillas, K. Jones, and M. Schiewe. 2000. Estuarine influence on the recovery and resilience of Columbia River salmonids. National Marine Fisheries Service, Northwest Fisheries Science Center, Seattle, Washington, to Bonneville Power Administration, Portland, Oregon.

- BPA (Bonneville Power Administration). 1993. Modified streamflows, 1990 level of irrigation, Columbia River and coastal basins, 1928-1989. A.G. Crook Company for BPA, Portland, Oregon.
- BPA (Bonneville Power Administration). 2000a. Fifty-year continuous FELCC study results and documentation: Hydrosim run FISHOPS 0Y00.00FSH30.OPER. BPA, Portland, Oregon. December 1.
- BPA (Bonneville Power Administration). 2000b. Fifty-year continuous FELCC study results and documentation: Hydrosim run FISHOPS 0Y00.00FSH33wo.OPER BPA, Portland, Oregon. December 1.
- BPA (Bonneville Power Administration), BOR (U.S. Bureau of Reclamation), and Corps (U.S. Army Corps of Engineers). 1999. Multi-species biological assessment of the Federal Columbia River Power System. BPA, BOR, and Corps to National Marine Fisheries Service and U.S. Fish and Wildlife Service, Portland, Oregon. December 21.
- BRT (Biological Review Team). 1997. Status review update for West Coast steelhead from Washington, Idaho, Oregon, and California. National Marine Fisheries Service, West Coast Steelhead BRT, Portland, Oregon.
- Bugert, R., P. LaRiviere, D. Marbach, S. Martin, L. Ross, and D. Geist. 1990. 1989 Annual Report of Lower Snake River Compensation Plan, Salmon Hatchery Evaluation Program, to U.S. Fish and Wildlife Service (Cooperative Agreement 14-16-0001-89525).
- Burley, C. C., and T. P. Poe, editors. 1994. Significance of predation in the Columbia River from Priest Rapids Dam to Chief Joseph Dam. U.S. Geological Survey, Western Fisheries Research Center, Seattle, Washington, for Mid-Columbia Public Utility Districts.
- Burner, C. J. 1951. Characteristics of nests of Columbia River salmon. Fisheries Bulletin 61:97-110.
- Busack, C. 1991. Genetic evaluation of the Lyons Ferry Hatchery stock and wild Snake River fall chinook. Washington Department of Fisheries, Report to ESA Administrative Record for Fall Chinook Salmon, Olympia. May.
- Busby, P. J., T. C. Wainwright, G. J. Bryant, L. J. Lierheimer, R. S. Waples, F. W. Waknitz, and I. V. Lagomarsino. 1996. Status review of West Coast steelhead from Washington, Idaho, Oregon, and California. National Marine Fisheries Service, Northwest Fisheries Science Center, Seattle, Washington.

- Busby, P., and 10 co-authors. 1999. Updated status of the review of the Upper Willamette River and Middle Columbia River ESUs of steelhead (*Oncorhynchus mykiss*). National Marine Fisheries Service, Northwest Fisheries Science Center, West Coast Biological Review Team, Seattle, Washington.
- Casillas, E. 1999. Role of the Columbia River estuary and plume in salmon productivity. NWPPC Ocean Symposium, July 1, 1999. National Marine Fisheries Service, Northwest Fisheries Science Center, Seattle, Washington.
- Casillas, E., L. Crockett, Y. deReynier, J. Glock, M. Helvey, B. Meyer, C. Schmitt, M. Yoklavich, A. Bailey, B. Chao, B. Johnson, and T. Pepperell. 1998. Essential fish habitat, West Coast groundfish appendix. National Marine Fisheries Service, Northwest Fisheries Science Center, Seattle, Washington.
- CBFWA (Columbia Basin Fish and Wildlife Authority). 1990. Snake River subbasin (mainstem from mouth to Hells Canyon Dam) salmon and steelhead production plan. CBFWA, Northwest Power Planning Council, Portland, Oregon.
- Chandler, J. A. 1993. Consumption rates and estimated total loss of juvenile salmonids by northern squawfish in Lower Granite Reservoir, Washington. Master's thesis. University of Idaho, Moscow.
- Chapman, D., A. Giorgi, M. Hill, A. Maule, S. McCutcheon, D. Park, W. Platts, K. Prat, J. Seeb, L. Seeb, and others. 1991. Status of Snake River chinook salmon. Don Chapman Consultants, Inc., Boise, Idaho, for Pacific Northwest Utilities Conference Committee.
- Chapman, D., C. Peven, A. Giorgi, T. Hillman, and F. Utter. 1995. Status of spring chinook salmon in the mid-Columbia River. Don Chapman Consultants, Inc., Boise, Idaho.
- Chapman, D., C. Pevan, T. Hillman, A. Giorgi, and F. Utter. 1994. Status of summer steelhead in the mid-Columbia River. Don Chapman Consultants, Inc., Boise, Idaho.
- Chilcote, M. W. 1997. Conservation status of steelhead in Oregon. Oregon Department of Fish and Wildlife, Draft Report, Portland. September 9.
- Collis, K., S. Adamany, D. D. Roby, D. P. Craig, and D. E. Lyons. 1999. Avian predation on juvenile salmonids in the lower Columbia River. Report to Bonneville Power Administration and U.S. Army Corps of Engineers. Columbia River Inter-Tribal Fish Commission, Portland, Oregon, and Oregon Cooperative Fish and Wildlife Research Unit, Oregon State University, Corvallis. October.
- Columbia Bird Research. 2000. Avian predation project update, draft season summary. http://www.columbiabirdresearch.org (accessed November 11).

- Connor, W. P., H. L. Burge, and D. H. Bennett. 1998. Detection of PIT-tagged subyearling chinook salmon at a Snake River dam: implications of summer flow augmentation. North American Journal of Fisheries Management 18:530-536.
- Connor, W. P., R. K. Steinhorst, and H. L. Burge. 1999. Seaward migration by subyearling chinook salmon in the Snake River. Chapter 7 *in* K. F. Tiffan, D. W. Rondorf (U.S. Geological Survey, Cook, Washington), W. P. Connor, and H. L. Burge (U.S. Fish and Wildlife Service, Ahsahka, Idaho). Identification of the spawning, rearing, and migratory requirements of fall chinook salmon in the Columbia River basin. Annual report 1996-1997 (Project 91-029) to Bonneville Power Administration, Portland, Oregon,
- Cooney, T. D. 2000. UCR steelhead and spring chinook salmon quantitative analysis report. Part 1: run reconstructions and preliminary assessment of extinction risk. National Marine Fisheries Service, Hydro Program, Technical Review Draft, Portland, Oregon. December 20.
- Coronado, C., and R. Hilborn. 1998a. Spatial and temporal factors affecting survival in coho and fall chinook salmon in the Pacific Northwest. Bulletin of Marine Science 62(2):409-425.
- Coronado, C., and R. Hilborn. 1998b. Spatial and temporal factors affecting survival in coho salmon (*Oncorhynchus kisutch*) in the Pacific Northwest. Canadian Journal of Fisheries and Aquatic Sciences 55:2067-2088.
- Corps (U.S. Army Corps of Engineers). 1978. Bonneville lock and dam, Oregon and Washington, feasibility report and hydraulic model studies. Corps, Portland District, Portland, Oregon.
- Corps (U.S. Army Corps of Engineers). 1984. Columbia River basin master water control manual. Corps, North Pacific Division, Portland, Oregon. December.
- Corps (U.S. Army Corps of Engineers). 1989. Annual fish passage report, Columbia and Snake river projects. Corps, Portland District, Portland, Oregon, and Walla Walla District, Walla Walla, Washington.
- Corps (U.S. Army Corps of Engineers). 1991. Review of flood control Columbia River basin–Columbia River and tributaries study, CRT 63. U.S. Army Corps of Engineers, North Pacific Division. June.
- Corps (U.S. Army Corps of Engineers). 1995. Bonneville Second Powerhouse, juvenile fish sampling and monitoring facility. Corps, Portland District, Feature Design Memorandum 43, Portland, Oregon.

- Corps (U.S. Army Corps of Engineers). 1996. Bonneville Second Powerhouse, downstream migrant system improvements, 90% review. Corps, Portland District, Supplement 6 to Design Memorandum 9, Portland, Oregon.
- Corps (U.S. Army Corps of Engineers). 1997. Columbia River basin, system flood control review: preliminary analysis report. Corps, North Pacific Division, Portland, Oregon. February.
- Corps (U.S. Army Corps of Engineers). 1999a. Bonneville First Powerhouse, juvenile bypass system improvements. Corps, Portland District, Supplement 2 to Design Memorandum 37, Portland, Oregon.
- Corps (U.S. Army Corps of Engineers). 1999b. Columbia River Treaty, flood control operating plan. Corps, Northwestern Division, North Pacific Region, Portland, Oregon. October.
- Corps (U.S. Army Corps of Engineers). 1999c. Lower Snake River juvenile salmon migration feasibility report/environmental impact statement. Corps, Walla Walla District, Draft Report, Walla Walla, Washington. December.
- Corps (U.S. Army Corps of Engineers). 1999d. Work to date on the development of the VARQ flood control operation at Libby Dam and Hungry Horse Dam. Corps, Northwestern Division, North Pacific Region, Status Report, Portland, Oregon. January.
- Corps (U.S. Army Corps of Engineers). 1999e. Fish passage plan for Corps of Engineers projects. U.S. Army Corps of Engineers, North Pacific Division, Portland, Oregon. February.
- Corps (U.S. Army Corps of Engineers). 2000a. Tailwater rating curve for Columbia River at Bonneville Dam. Corps, Portland District, Portland, Oregon, to National Marine Fisheries Service, Hydro Program, Portland, Oregon. January.
- Corps (U.S. Army Corps of Engineers). 2000b. Salmon recovery through John Day Reservoir: John Day drawdown phase 1 study. Corps, Portland District, Draft Report, Portland, Oregon. January.
- Coutant, C. C. 1999. Perspectives on temperature in the Pacific Northwest's fresh waters. Oak Ridge National Laboratory, Environmental Sciences Division, Publication 4849, Oak Ridge, Tennessee.
- Cramer, S. P., J. Norris, P. Mundy, G. Grette, K. O'Neal, J. Hogle, C. Steward, and P. Bahls. 1999. Status of chinook salmon and their habitat in Puget Sound, volume 2. S. P. Cramer and Associates, Inc., Final Report, Gresham, Oregon.

- CREDDP (Columbia River Estuary Data Development Program). 1980. Volume 1: summary plus maps. Volume 2: annotated bibliography. Pacific Northwest River Basins Commission, Vancouver, Washington.
- Cudaback, C. N., and D. A. Jay. 1996. Buoyant plume formation at the mouth of the Columbia River an example of internal hydraulic control? buoyancy effects on coastal and estuarine dynamics. Coastal and Estuarine Studies 53:139-154.
- Curet, T. S. 1993. Habitat use, food habits and the influence of predation on subyearling chinook salmon in Lower Granite and Little Goose reservoirs, Washington. Master's thesis. University of Idaho, Moscow. December.
- Dauble, D.D., R. L. Johnson, and A. Garcia. 1999. Fall chinook spawning in tailraces of lower Snake River hydroelectric projects. Transactions of the American Fisheries Society 128:672-697.
- Dawley, E. M., L. G. Gilbreath, R. F. Absolon, B. P. Sandford, and J. W. Ferguson. 1999. Relative survival of juvenile salmonids passing through the spillway and ice and trash sluiceway of The Dalles Dam, 1998. National Marine Fisheries Service, Northwest Fisheries Science Center, Seattle, Washington, to U.S. Army Corps of Engineers.
- Dawley, E. M., R. D. Ledgerwood, T. H. Blahm, C. W. Sims, J. T. Durkin, R. A. Kirn, A. E. Rankis, G. E. Moran, and F. J. Ossiander. 1986. Migrational characteristics, biological observations, and relative survival of juvenile salmonids entering the Columbia River estuary, 1966-1983. Final Report of National Marine Fisheries Service, Northwest Fisheries Science Center, Seattle, Washington, to Bonneville Power Administration, Portland, Oregon.
- Dees, L. T. 1961. Cephalopods: cuttlefish, octopuses, squids. U.S. Department of the Interior, Bureau of Commercial Fisheries, Fishery Leaflet 524.
- Dennis, B., P. L. Munholland, and J. M. Scott. 1991. Estimation of growth and extinction parameters for endangered species. Ecological Monographs 61(12):115-143.
- Deriso, R., D. Marmorek, and I. Parnell. 1996. Retrospective analysis of passage mortality of spring chinook of the Columbia River. Chapter 5 *in* D. Marmorek, editor. Plan for analyzing and testing hypotheses (PATH): final report on retrospective analysis for fiscal year 1996. ESSA Technologies Ltd., Vancouver, B.C. September 10.
- Doppelt, B., M. Scurlock, C. Frissell, and J. Karr. 1993. Entering the watershed: a new approach to save America's river ecosystems. Island Press, Washington, D.C.

- Ebel, W. J., and H. L. Raymond. 1976. Effect of atmospheric gas supersaturation on salmon and steelhead rivers. U.S. National Marine Fisheries Service, Marine Fisheries Review 38:1-14
- Eicher. 1987. Turbine-related fish mortality: review and evaluation of studies. Eicher Associates, Inc., to Electric Power Research Institute, Palo Alto, California.
- Elston, R. J. 1996. Investigation of head burns in adult salmonids. Phase 1: examination of fish at Lower Granite Dam. Bonneville Power Administration, Final Report (Project 96-050-00), Portland, Oregon. July 2.
- Emmett, R. L., S. L. Stone, S. A. Hinton, and M. E. Monaco. 1991. Distribution and abundance of fishes and invertebrates in West Coast estuaries. Volume 2: species life history summaries. NOAA/NOS Strategic Environmental Assessments Division, ELMR Report 8, Rockville, Maryland.
- Eppard, M. B., G. A. Axel, B. P. Sandford, and D. B. Dey. 2000. Effects of spill on the passage of hatchery yearling chinook salmon at Ice Harbor Dam, 1999. National Marine Fisheries Service, Northwest Fisheries Science Center, Seattle, Washington, to U.S. Army Corps of Engineers, Walla Walla District, Walla Walla, Washington.
- Eschmeyer, W. N., E. S. Herald, and H. Hamman. 1983. A field guide to Pacific coast fishes of North America. Houghton Mifflin Company, Boston, Massachusetts.
- Evans, A. F., and R. E. Beaty. 2000. Identification and enumeration of steelhead (*Oncorhynchus mykiss*) kelts in the juvenile collection systems at Lower Granite and Little Goose dams, 2000. *In* U.S. Army Corps of Engineers. Anadromous fish evaluation program: 2000 annual research review. Portland District, Portland, Oregon, and Walla Walla District, Walla Walla, Washington.
- Evermann, B. W. 1895. A preliminary report upon salmon investigations in Idaho in 1894. U.S. Fish Commission Bulletin 15:253-284.
- Faler, M. P., L. M. Miller, and K. I. Welke. 1988. Effects of variation in flow on distribution of northern squawfish in the Columbia River below McNary Dam. North American Journal of Fisheries Management 8:30-35.
- Falter, C. M. 1969. Digestive rates and daily rations of northern squawfish in the St. Joe River, Idaho. Doctoral dissertation. University of Idaho, Moscow.
- Federal Caucus. 2000. Conservation of Columbia basin fish: final basinwide salmon recovery strategy. http://www.salmonrecovery.gov> December.

- Fields, W. G. 1965. The structure, development, food relations, reproduction and life history of the squid (*Loligo opalescens* Berry). California Department of Fish and Game, Fish Bulletin 131.
- Fish Passage Center. 2000. Adult salmon passage counts. FPC (Fish Passage Center) Home. http://www.fpc.org/adlthist/prdadult.htm December 16.
- Flagg, T. A., and C. E. Nash, editors. 1999. A conceptual framework for conservation hatchery strategies for Pacific salmonids. National Marine Fisheries Service, Northwest Fisheries Science Center, NOAA Technical Memorandum NMFS-NWFSC-38, Seattle, Washington.
- Flagg, T. A., F. W. Waknitz, D. J. Maynard, G. B. Milner, and C.V.W. Mahnken. 1995. The effect of hatcheries on native coho salmon populations in the lower Columbia River. *In* Uses and effects of cultured fishes in aquatic systems. Transactions of the American Fisheries Society 15:366-375.
- Ford, M., P. Budy, C. Busack, D. Chapman, T. Cooney, T. Fisher, J. Geiselman, T. Hillman, J. Lukas, C. Peven, C. Toole, E. Weber, and P. Wilson. 1999. UCR steelhead and spring chinook salmon population structure and biological requirements. National Marine Fisheries Service, Northwest Fisheries Science Center, Upper Columba River Steelhead and Spring Chinook Salmon Biological Requirements Committee, Draft Report, Seattle, Washington. November 23.
- FPAC (Fish Passage Advisory Committee). 1999. System operational request 99-28 re: flows at Bonneville Dam. FPAC of Columbia Basin Fish and Wildlife Authority, Portland, Oregon. September 3.
- Francis, R. C., and S. R. Hare. 1994. Decadal-scale regime shifts in the large marine ecosystems of the North-east Pacific: a case for historical science. Fisheries Oceanography 3(4)279-291.
- Franklin, J. F., and C. T. Dyrness. 1973. Natural vegetation of Oregon and Washington. U.S. Department of Agriculture, Pacific Northwest Forest and Range Experiment Station, USDA Forest Service General Technical Report PNW-8, Portland, Oregon.
- Friesen, T. A., and D. L. Ward. 1999. Management of northern squawfish and implications for juvenile survival in the lower Columbia and Snake rivers. North American Journal of Fisheries Management 19:406-420.
- Frissell, C. A. 1993. A new strategy for watershed restoration and recovery of Pacific salmon in the Pacific Northwest. Prepared for Pacific Rivers Council, Eugene, Oregon.

- Fulton, L. A. 1968. Spawning areas and abundance of chinook salmon, *Oncorhynchus tshawytscha*, in the Columbia River basin past and present. U.S. Fish and Wildlife Service, Special Scientific Report, Fisheries 571:26.
- Fulton, L. A. 1970. Spawning areas and abundance of steelhead trout and coho, sockeye, and chum salmon in the Columbia River basin past and present. U.S. Fish and Wildlife Service, Special Scientific Report, Fisheries 618.
- Gadomski, D. M., M. G. Mesa, and T. M. Olson. 1994. Vulnerability to predation and physiological stress responses of experimentally descaled juvenile chinook salmon, *Oncorhynchus tshawytscha*. Environmental Biology of Fishes 39:191-199.
- Geist, D. 2000. PNNL objectives FY00. Handout at meeting with fisheries comanagers. Pacific Northwest National Laboratory, Richland, Washington. February 16.
- Giorgi, A. 1996. Spill effectiveness/efficiency: scooping the information. PATH Task 3.1.4a. Appendix 4 of Chapter 6 *in* D. Marmorek, editor. Plan for analyzing and testing hypotheses (PATH): final report on retrospective analyses for fiscal year 1996. ESSA Technologies Ltd., Vancouver, B.C.
- Gotshall, D. W. 1977. Fishwatchers' guide to the inshore fishes of the Pacific coast. Sea Challengers, Monterey, California.
- Graves, R. 1998. Memo to Hydro Program files re: 1998 transportation estimates, results from discussions with T. Berggren, Fish Passage Center. National Marine Fisheries Service, Hydro Program, Portland, Oregon. October 6.
- Gray, G. A., and D. W. Rondorf. 1986. Predation on juvenile salmonids in Columbia Basin reservoirs. Pages 178-185 *in* G. E. Hall and M. J. Van Den Avyle, editors. Reservoir fisheries management strategies for the '80s. American Fisheries Society, Southern Division, Reservoir Committee, Bethesda, Maryland.
- Gregory, R. S. 1993. Effect of turbidity on the predator avoidance behavior of juvenile chinook salmon (*Oncorhynchus tshawytscha*). Canadian Journal of Fisheries and Aquatic Sciences 50:241-246.
- Gregory, R. S., and C. D. Levings. 1998. Turbidity reduces predation on migrating juvenile Pacific salmon. Transactions of the American Fisheries Society 127:275-285.
- Groot, C., L. Margolis, and W. C. Clarke. 1995. Physiological ecology of Pacific salmon. University of British Columbia Press, Vancouver, B.C.

- Gustafson, R. G., T. C. Wainwright, G. A. Winans, F. W. Waknitz, L. T. Parker, and R. S. Waples. 1997. Status review of sockeye salmon from Washington and Oregon. National Marine Fisheries Service, Northwest Fisheries Science Center, NOAA Technical Memorandum NMFS-NWFSC-33, Seattle, Washington.
- Haertel, L., C. Oserberg, H. Curl, Jr., and P. K. Park. 1969. Nutrient and plankton ecology of the Columbia River estuary. Ecology 50:962-978.
- Hansel, H. C., N. S. Adams, T. D. Counihan, B. D. Liedtke, M. S. Novick, J. M. Plumb, and T.
 P. Poe. 1999. Estimates of fish and spill passage efficiency for radio-tagged juvenile steelhead and yearling chinook salmon at John Day Dam, 1999. Annual Report of Research by U.S. Geological Survey, Biological Resources Division, Cook, Washington, to U.S. Army Corps of Engineers, Portland District, Portland, Oregon.
- Hare, S. R., N. J., Mantua, and R. C. Francis. 1999. Inverse production regimes: Alaskan and West Coast Pacific salmon. Fisheries 21:6-14.
- Harmon, J. R., D. J. Kamikawa, B. P. Sandford, K. W. McIntyre, K. L. Thomas, N. N. Paasch, and G. M. Matthews. 1995. Research related to transportation of juvenile salmonids on the Columbia and Snake rivers, 1993. National Marine Fisheries Service, Northwest and Alaska Fisheries Center, Coastal Zone and Estuarine Studies Division, Seattle, Washington.
- Harmon, J. R., K. L. Thomas, K. W. McIntyre, and N. N. Paasch. 1994. Prevalence of marine-mammal tooth and claw abrasions on adult anadromous salmonids returning to the Snake River. North American Journal of Fisheries Management 14:661-663.
- Hart, J. L. 1973. Pacific fisheries of Canada. Fisheries Research Board of Canada Bulletin 180:199-221.
- Harza. 2000. Salmon spawning habitat evaluation. Final Report by Harza Engineering Company, Portland, Oregon, to Bonneville Power Administration, Portland, Oregon.
- Hassemer, P. F. 1992. Run composition of the 1991-92 run-year Snake River steelhead measured at Lower Granite Dam. Idaho Fish and Game, Boise, to National Oceanic and Atmospheric Administration (Award NA90AA-D-IJ718).
- Healey, M. C. 1983. Coastwide distribution and ocean migration patterns of stream- and ocean-type chinook salmon, *Oncorhynchus tshawytscha*. Canadian Field-Naturalist 97:427-433.

- Healey, M. C. 1991. Life history of chinook salmon (*Oncorhynchus tshawytscha*). Pages 311-393 *in* Groot, C. and L. Margolis, editors. Pacific salmon life histories. University of British Columbia Press, Vancouver, B.C.
- Henjum, M. G., J. R. Karr, D. L. Bottom, D. A. Peery, J. C. Bednarz, S. G. Wright, S. A. Beckwitt, and E. Beckwitt. 1994. Interim protection for late-successional forests, fisheries, and watersheds: national forests east of the Cascade Crest, Oregon, and Washington. The Wildlife Society, Bethesda, Maryland.
- Hinton, S. A., and R. L. Emmett. 1994. Juvenile salmonid stranding in the lower Columbia River, 1992 and 1993. National Marine Fisheries Service, Northwest Fisheries Science Center, NOAA Technical Memorandum NMFS-NWFSC-20, Seattle, Washington. December.
- Hockersmith, E. E., S. G. Smith, W. D. Muir, B. P. Sandford, J. G. Williams, and J. R. Skalski. 1999. Survival estimates for the passage of juvenile salmonids through Snake River dams and reservoirs. National Marine Fisheries Service, Northwest Science Center, Seattle, Washington, to Bonneville Power Administration, Portland, Oregon (Project 93-29).
- Holmes, E. E. In review. Estimating risks for declining populations: salmonids as an example. National Marine Fisheries Service, Northwest Fisheries Science Center, Seattle, Washington. Submitted to Ecological Applications.
- Holmes, H. B. 1952. Loss of salmon fingerlings in passing Bonneville Dam as determined by marking experiments. Unpublished manuscript, U.S. Bureau of Commercial Fisheries.
 U.S. Fish and Wildlife Service, Vancouver, Washington, to U.S. Army Corps of Engineers, North Pacific Division, Portland, Oregon.
- Howell, P., K. Jones, D. Scarnecchia, L. LaVoy, W. Knedra, and D. Orrmann. 1985. Stock assessment of Columbia River anadromous salmonids, 2 volumes. Final Report to Bonneville Power Administration, Portland, Oregon (Project 83-335).
- Hurson, D., and 17 coauthors. 1996. Juvenile fish transportation program. U.S. Army Corps of Engineers, Walla Walla District, 1994 Annual Report, Walla Walla, Washington.
- Hymer, J. 1999a. Hardy Creek. E-mail. Washington Department of Fisheries, Vancouver. October 20.
- Hymer, J. 1999b. Question about tules below Bonneville. E-mail. Washington Department of Fisheries, Vancouver. October 20.

- Irving, J. S., and T. C. Bjornn. 1981. Status of Snake River fall chinook salmon in relation to the Endangered Species Act. Idaho Cooperative Fishery Research Unit, University of Idaho, Moscow, for U.S. Fish and Wildlife Service.
- ISAB (Independent Scientific Advisory Board). 1998. Review of artificial production of anadromous and resident fish in the Columbia River basin. Part 1: a scientific basis for Columbia River production programs. ISAB, Report 98-33, for Northwest Power Planning Council and National Marine Fisheries Service, Portland, Oregon. December.
- ISAB (Independent Scientific Advisory Board). 1999. Review of the National Marine Fisheries Service draft cumulative risk analysis addendum "An assessment of lower Snake River hydrosystem alternatives on survival and recovery of Snake River salmonids." ISAB, Report 99-6, for Northwest Power Planning Council and National Marine Fisheries Service, Portland, Oregon. October 12.
- ISAB (Independent Scientific Advisory Board). 2000. Letter re: spill levels at The Dalles Dam, to W. D. McConnaha, Northwest Power Planning Council, Portland, Oregon, and M. Schiewe, National Marine Fisheries Service, Seattle, Washington, from J. Lichatowich, ISAB, Portland, Oregon. February 15.
- ISG (Independent Science Group). 1996. Return to the river: restoration of salmonid fishes in the Columbia River ecosystem. ISG, Report 96-6, for Northwest Power Planning Council, Portland, Oregon.
- IUCN (International Union for the Conservation of Nature and Natural Resources). 2000. The 2000 IUCN red list of threatened species: 1994 categories and criteria. http://www.redlist.org/categories criteria.html>(accessed October 24).
- Iwamoto, R. N., and J. G. Williams. 1993. Juvenile salmonid passage and survival through turbines. Report to U.S. Army Corps of Engineers, Portland, Oregon.
- Jackson, P. L. 1993. Climate. Pages 48-57 *in* P. L. Jackson and A. J. Kimerling, editors. Atlas of the Pacific Northwest. Oregon State University Press, Corvallis.
- Johnson, O. W., W. S. Grant, R. G. Kope, K. Neely, F. W. Waknitz, and R. S. Waples. 1997. Status review of chum salmon from Washington, Oregon, and California. National Marine Fisheries Service, Northwest Fisheries Science Center, NOAA Technical Memorandum NMFS-NWFSC-32, Seattle, Washington.
- Jones, K., C. A. Simenstad, D. L. Higley, and D. L. Bottom. 1990. Community structure, distribution, and standing stock of benthos, epibenthos, and plankton in the Columbia River estuary. Progress in Oceanography 25:211-241.

- Kareiva, P., M. Marvier, and M. McClure. 2000. Recovery and management options for spring/summer chinook salmon in the Columbia River basin. Science 290:977-979.
- Karr, M. H., J. K. Fryer, and P. R. Mundy. 1998. Snake River water temperature control project phase II. Methods for managing and monitoring water temperatures in relation to salmon in the lower Snake River. Columbia River Inter-Tribal Fish Commission, Portland, Oregon.
- Keefer, M. L., and T. C. Bjornn. 1999. Evaluation of adult salmon and steelhead migrations past dams and through reservoirs in the Columbia River basin. *In* U.S. Army Corps of Engineers. Anadromous fish evaluation program: 1999 annual research review. Walla Walla District, Walla Walla, Washington.
- Keeley, E. R., P. A. Slaney, and D. Zaldokas. 1996. Estimates of production benefits for salmonid fishes from stream restoration initiatives. Ministry of Environment, Lands, and Parks and Ministry of Forests, Watershed Restoration Management Report 4, Victoria, B.C.
- Kostow, K, editor. 1995. Biennial report on the status of wild fish in Oregon. Oregon Department of Fish and Wildlife, Internal Report, Portland.
- Krcma, R. F., G. A. Swan, and F. J. Ossiander. 1985. Fish guiding and orifice passage efficiency tests with subyearling chinook salmon, McNary Dam, 1984. National Marine Fisheries Service, Northwest Fisheries Science Center, Seattle, Washington, to U.S. Army Corps of Engineers.
- Kuehl, E. S. 1986. Hydroacoustic evaluation of fish collection efficiency at Lower Granite Dam in spring, 1985. Biosonics, Inc., Seattle, Washington, to U.S. Army Corps of Engineers, Walla Walla District, Walla Walla, Washington.
- Ledgerwood, D. L., E. M. Dawley, L. G. Gilbreath, P. J. Bently, B. P. Sandford, and M. H. Schiewe. 1990. Relative survival of subyearling chinook salmon which have passed Bonneville Dam via the spillway or the Second Powerhouse turbines or bypass system in 1989, with comparisons to 1987 and 1988. National Marine Fisheries Service, Northwest Fisheries Science Center, Seattle, Washington, to U.S. Army Corps of Engineers.
- Ledgerwood, R. D., E. M. Dawley, L. G. Gilbreath, L. T. Parker, B. P. Sandford, and S. J. Grabowski. 1994. Relative survival of subyearling chinook salmon at Bonneville Dam, 1992. National Marine Fisheries Service, Northwest Fisheries Science Center, Seattle, Washington, to U.S. Army Corps of Engineers.
- Leslie, P. H. 1945. On the use of matrices in certain population mathematics. Biometrika 33:183-212.

- Leslie, P. H. 1948. Some further notes on the use of matrices in population mathematics. Biometrika 35:213-245.
- Ligon, F. K., W. E. Dietrich, and W. J. Trush. 1995. Downstream ecological effects of dams: a geomorphic perspective. Bioscience 45:183-192.
- Long, J. B., and L. E. Griffin. 1937. Spawning and migratory habits of the Columbia River steelhead trout as determined by scale studies. Copeia 31:62.
- LCREP (Lower Columbia River Estuary Program). 1999. Comprehensive Conservation and Management Plan. Volume 1: June 1999. LCREP, Portland, Oregon.
- Mantua, N. J., S. R. Hare, Y. Zhang, J. M. Wallace, and R. C. Francis. 1997. A Pacific interdecadal climate oscillation with impacts on salmon production. Bulletin of the American Meteorological Society 78:1069-1079.
- Marmorek, D. R., and C. N. Peters, editors. 1998. Plan for analyzing and testing hypotheses (PATH): preliminary decision analysis report on Snake River spring/summer chinook. ESSA Technologies Ltd., Vancouver, B.C.
- Marmorek, D. R., C. N. Peters, and I. Parnell, editors. 1998. Plan for analyzing and testing hypotheses (PATH): final report for fiscal year 1998. ESSA Technologies Ltd., Vancouver, B.C.
- Marr, J. C. 1943. Age, length, and weight studies of three species of Columbia River salmon (*Oncorhynchus keta, O. gorbuscha* and *O. kisutch*). Stanford Ichthyological Bulletin 2:157-197.
- Martinson, R. D., R. Graves, R. Mills, and J. Kamps. 1997. Monitoring of downstream salmon and steelhead at federal hydroelectric facilities 1996. National Marine Fisheries Service, Hydro Program, Portland, Oregon, to Bonneville Power Administration, Portland, Oregon (Project 84-014).
- Mattson, C. R. 1948. Spawning ground studies of Willamette River spring chinook salmon. Fish Commission of Oregon Research Briefs 1(2):21-32.
- McClure, M. 2000. Alternative lambda (annual population growth rate) calculations. E-mail to C. Toole and B. Brown, National Marine Fisheries Service, Hydro Program, Portland, Oregon, from M. McClure, National Marine Fisheries Service, Northwest Fisheries Science Center, Seattle, Washington. December 2.

- McClure, M., B. Sanderson, E. Holmes, C. Jordan, P. Kareiva, and P. Levin. 2000a. A standardized quantitative analysis of the risks faced by salmonids in the Columbia River basin. National Marine Fisheries Service, Northwest Fisheries Science Center, Cumulative Risk Initiative, Draft Report, Seattle, Washington. April 7.
- McClure, B. Sanderson, E. Holmes, C. Jordan, P. Kareiva, and P. Levin. 2000b. Revised Appendix B of standardized quantitative analysis of the risks faced by salmonids in the Columbia River basin. National Marine Fisheries Service, Northwest Fisheries Science Center, Seattle, Washington. September.
- McClure, M. M., B. L. Sanderson, E. E. Holmes, and C. E. Jordan. 2000c. A large-scale, multi-species risk assessment: anadromous salmonids in the Columbia River basin. National Marine Fisheries Service, Northwest Fisheries Science Center, Seattle, Washington. Submitted to Ecological Applications.
- McCullough, D. A. 1999. A review and synthesis of effects of alterations to the water temperature regime on freshwater life stages of salmonids with special reference to chinook salmon. Report to Environmental Protection Agency, Region 10, Seattle, Washington.
- McElhany, P., M. Ruckelshaus, M. J. Ford, T. Wainwright, and E. Bjorkstedt. 2000. Viable salmonid populations and the recovery of evolutionarily significant units. National Marine Fisheries Service, Northwest Fisheries Science Center, Draft Report, Seattle, Washington. January 6.
- McKenzie, D., D. Carlile, and D. Weitkamp. 1984. 1983 systems mortality study. Battelle Pacific Northwest Laboratories, Richland, Washington, for Chelan County PUD, Grant County PUD, and Douglas County PUD.
- McKenzie, D., D. Weitkamp, T. Schadt, D. Carlile, and D. Chapman. 1983. 1982 systems mortality study. Battelle Pacific Northwest Laboratories, Richland, Washington, for Chelan County PUD, Grant County PUD, and Douglas County PUD.
- McKernan, D. L., and C. R. Mattson. 1950. Observations on pulp and paper effluents and the probable effects of this pollutant on the fisheries resources of the Willamette River in Oregon. Fish Commission of Oregon, Fish Commission Research Briefs 3(1):14-21.
- Meacham, C. P., and J. H. Clark. 1979. Management to increase anadromous salmon production. Pages 377-386 *in* H. C. Clepper, editor. Predator-prey systems in fisheries management. Sport Fishing Institute, Washington, D.C.

- Mendel, G., and D. Milks. 1995. Upstream passage and spawning of fall chinook salmon in the Snake River. Washington Department of Fish and Wildlife, Hatcheries Program, Olympia.
- Mesa, M. G. 1994. Effects of multiple acute stressors on the predator avoidance ability and physiology of juvenile chinook salmon. Transactions of the American Fisheries Society 123:786-793.
- Mesa, M. G., A. G. Maule, and C. B. Schreck. 2000. Interaction of infection with *Renibacterium salmoninarum* and physical stress in juvenile chinook salmon: physiological responses, disease progression, and mortality. Transactions of the American Fisheries Society 129:158-173.
- Mesa, M. G., and T. M. Olsen. 1993. Prolonged swimming performance of northern squawfish. Transactions of the American Fisheries Society 122:1104-1110.
- Miller, D. J., and R. N. Lea. 1972. Guide to the coastal marine fishes of California. California Department of Fish and Game, Fish Bulletin 157.
- Monaco, M. E., D. M. Nelson, R. L. Emmett, and S. A. Hinton. 1990. Distribution and abundance of fishes and invertebrates in west coast estuaries. Volume 1: data summaries. Strategic Assessment Branch, NOS/NOAA, ELMR Report 4, Rockville, Maryland.
- Montgomery Water Group. 1997. Columbia Basin project water supply, use and efficiency report. Prepared for East Columbia Basin Irrigation District, Quincy-Columbia Basin Irrigation District, South Columbia Basin Irrigation District, Grand Coulee Project Hydroelectric Authority. June.
- Muir, W. D., S. G. Smith, J. G. Williams, and B. P. Sandford. In review. Survival of juvenile salmonids passing through bypass systems, turbines, and spillways with and without flow deflectors at Snake River dams. National Marine Fisheries Service, Northwest Fisheries Science Center, Seattle, Washington.
- Muir, W. D., S. G. Smith, E. E. Hockersmith, S. Achord, R. F. Absolon, P. A. Ocker, B. M. Eppard, T. E. Ruehle, J. G. Williams, R. N. Iwamoto, and J. R. Skalski. 1996. Survival estimates for the passage of yearling chinook salmon and steelhead through Snake River dams and reservoirs, 1995. National Marine Fisheries Service, Northwest Fisheries Science Center, Seattle, Washington, to Bonneville Power Administration, Portland, Oregon.

- Muir, W. D., S. G. Smith, K. W. McIntyre, and B. P. Sandford. 1998. Project survival of juvenile salmonids passing through the bypass system, turbines, and spillways with and without flow deflectors at Little Goose Dam, 1997. National Marine Fisheries Service, Northwest Fisheries Science Center, Seattle, Washington, to U.S. Army Corps of Engineers.
- Muir, W. D., S. G. Smith, E. E. Hockersmith, M. B. Eppard, W. P. Connor, T. Andersen, and B. D. Arnsberg. 1999. Fall chinook salmon survival and supplementation studies in the Snake River and lower Snake River reservoirs, 1997. National Marine Fisheries Service, Northwest Fisheries Science Center, Seattle, Washington, to Bonneville Power Administration, Portland, Oregon.
- Muir, W. D., W. S. Zaugg, A. E. Giorgi, and S. McCutcheon. 1994. Accelerating smolt development and downstream movement in yearling chinook salmon with advanced photoperiod and increased temperatures. Aquaculture 123:387-399.
- Mullan, J. W., A. Rockhold, and C. R. Chrisman. 1992a. Life histories and precocity of chinook salmon in the mid-Columbia River. Progressive Fish-Culturist 54:25-28.
- Mullan, J. W., K. R. Williams, G. Rhodus, T. W. Hillman, and J. D. McIntyre. 1992b.

 Production and habitat of salmonids in mid-Columbia River tributary streams. U.S. Fish and Wildlife Service Monograph 1.
- Myers, J. M., R. G. Kope, G. J. Bryant, L. J. Lierheimer, R. S. Waples, R. W. Waknitz, T. C. Wainwright, W. S. Grant, K. Neely, and S. T. Lindley. 1998. Status review of chinook salmon from Washington, Idaho, Oregon, and California. National Marine Fisheries Service, Northwest Fisheries Science Center, NOAA Technical Memorandum NMFS-NWFSC-35, Seattle, Washington.
- NMFS (National Marine Fisheries Service). 1991a. Factors for decline: a supplement to the notice of determination for Snake River fall chinook salmon under the Endangered Species Act. NMFS, Protected Resources Division, Portland, Oregon. June.
- NMFS (National Marine Fisheries Service). 1991b. Factors for decline: a supplement to the notice of determination for Snake River spring/summer chinook salmon under the Endangered Species Act. NMFS, Protected Resources Division, Portland, Oregon.
- NMFS (National Marine Fisheries Service). 1995a. Biological opinion reinitiation of consultation on 1994-1998 operation of the Federal Columbia River Power System and juvenile transportation program in 1995 and future years. NMFS, Hydro Program, Portland, Oregon.

- NMFS (National Marine Fisheries Service). 1995b. Juvenile fish screen criteria. http://www.nwr.noaa.gov/1hydrop/nmfscrit1.htm NMFS, Hydro Program, Portland, Oregon.
- NMFS (National Marine Fisheries Service). 1995c. Proposed recovery plan for Snake River salmon. NMFS, Protected Resources Division, Portland, Oregon.
- NMFS (National Marine Fisheries Service). 1998. Supplemental biological opinion operation of the Federal Columbia River Power System including the smolt monitoring program and the juvenile fish transportation program: a supplement to the biological opinion signed on March 2, 1995, for the same projects. NMFS, Hydro Program, Portland, Oregon.
- NMFS (National Marine Fisheries Service). 1999a. Biological opinion on artificial propagation in the Columbia River basin incidental take of listed salmon and steelhead from Federal and non-Federal hatchery programs that collect, rear, and release unlisted fish species. NMFS, Endangered Species Act Section 7 consultation. March 29.
- NMFS (National Marine Fisheries Service). 1999b. Biological opinion Bureau of Reclamation operations and maintenance of its projects in the Snake River basin above Lower Granite Dam: a supplement to the biological opinions signed on March 2, 1995, and May 14, 1998. NMFS, Northwest Region. December 9.
- NMFS (National Marine Fisheries Service). 1999c. Biological opinion and incidental take statement on 1999 Treaty Indian and non-Indian fall season fisheries in the Columbia River basin. NMFS, Endangered Species Act Section 7 consultation. July 30.
- NMFS (National Marine Fisheries Service). 2000a. Letter re: draft biological opinion, to D. Poganis (Corps), R. McKown (BOR), T. Lamb (BPA), F. Olney (USFWS), M. L. Soscia (EPA), F. Disheroon (Dept. of Justice), and D. Mecham (Dept. of Interior), from B. Brown, NMFS, Hydro Program, Portland, Oregon. May 17.
- NMFS (National Marine Fisheries Service). 2000b. Draft biological opinion operation of the Federal Columbia River Power System including the juvenile fish transportation program and the Bureau of Reclamation's 31 projects, including the entire Columbia Basin Project. NMFS, Hydro Program, Portland, Oregon. July 27.
- NMFS (National Marine Fisheries Service). 2000c. Memorandum to Hydro Program files re: Bonneville and John Day dam mixed stock chinook FGEs, from G. Fredricks, NMFS, Hydro Program, Portland, Oregon. January 28.

- NMFS (National Marine Fisheries Service). 2000d. Supplemental biological opinion operation of the Federal Columbia River Power System including the juvenile fish transportation program: a supplement to the biological opinions signed on March 2, 1995, and May 14, 1998, for the same projects. NMFS, Hydro Program, Portland, Oregon. February 4.
- NMFS (National Marine Fisheries Service). 2000e. White paper: passage of juvenile and adult salmonids past Columbia and Snake river dams. NMFS, Northwest Fisheries Science Center, Seattle, Washington. April.
- NMFS (National Marine Fisheries Service). 2000f. White paper: predation on salmonids relative to the Federal Columbia River Power System. NMFS, Northwest Fisheries Science Center, Seattle, Washington. February.
- NMFS (National Marine Fisheries Service). 2000g. White paper: salmon and steelhead hatcheries the problems. NMFS, Sustainable Fisheries Division, Portland, Oregon. February 3.
- NMFS (National Marine Fisheries Service). 2000h. White paper: salmonid travel time and survival related to flow in the Columbia River basin. NMFS, Northwest Fisheries Science Center, Seattle, Washington. March.
- NMFS (National Marine Fisheries Service). 2000i. White paper: summary of research related to transportation of juvenile anadromous salmonids around Snake and Columbia river dams. NMFS, Northwest Fisheries Science Center, Seattle, Washington. March.
- NRC (National Research Council). 1996. Upstream: salmon and society in the Pacific Northwest. NRC, Report of the Committee on Protection and Management of the Pacific Northwest Anadromous Salmonids, Board on Environmental Studies and Toxicology, and Commission on Life Sciences. National Academy Press, Washington, D.C.
- NWPPC (Northwest Power Planning Council). 1984. Columbia River basin fish and wildlife program. NWPPC, Portland, Oregon.
- NWPPC (Northwest Power Planning Council). 1986. Compilation of information on salmon and steelhead losses in the Columbia River basin. Appendix D *in* 1987 Columbia River basin fish and wildlife program. NWPPC, Portland, Oregon. March.
- NWPPC (Northwest Power Planning Council). 1987. Columbia River Basin Fish and Wildlife Program—compilation of information on salmon and steelhead losses in the Columbia River basin. Appendix D. NWPPC, Portland, Oregon.

- NWPPC (Northwest Power Planning Council). 1989. Snake River subbasin salmon and steelhead plan. NWPPC, Portland, Oregon.
- ODFW (Oregon Department of Fish and Wildlife). 1998a. Briefing paper Lower Columbia River chinook ESU. ODFW, Portland. October 13.
- ODFW (Oregon Department of Fish and Wildlife). 1998b. Memorandum re: harvest rates for Willamette spring chinooks, to J. Martin from S. Sharr, ODFW, Portland. September 30.
- ODFW (Oregon Department of Fish and Wildlife). 1998c. Oregon wild fish management policy. ODFW, Portland.
- ODFW (Oregon Department of Fish and Wildlife). 1998d. Spring chinook chapters Willamette basin fish management plan. ODFW, Portland. March.
- ODFW (Oregon Department of Fish and Wildlife) and WDFW (Washington Department of Fish and Wildlife). 1995. Status report, Columbia River fish runs and fisheries, 1938-94. ODFW, Portland, and WDFW, Olympia.
- ODFW (Oregon Department of Fish and Wildlife) and WDFW (Washington Department of Fish and Wildlife). 1998. Status report, Columbia River fish runs and fisheries, 1938-1997. ODFW, Portland, and WDFW, Olympia.
- ODFW (Oregon Department of Fish and Wildlife) and WDFW (Washington Department of Fish and Wildlife). 1999. Excel spreadsheet: wasurvey.xls. E-mail to National Marine Fisheries Service, Hydro Program, Portland, Oregon, from ODFW, Clackamas, and WDFW, Olympia. December 13.
- ODFW (Oregon Department of Fish and Wildlife) and WDFW (Washington Department of Fish and Wildlife). 2000. Joint staff report concerning the 2000 in-river commercial harvest of Columbia River fall chinook salmon, summer steelhead, coho salmon, and sturgeon. ODFW and WDFW, Joint Columbia River Management Staff. July 13.
- ODFW (Oregon Department of Fish and Wildlife), WDFW (Washington Department of Fish and Wildlife), and USFWS (U.S. Fish and Wildlife Service). 1999. Fall chinook and chum spawning in the mainstem Columbia below Bonneville Dam. Fact sheet for meeting of Fish Passage Advisory Committee, Columbia Basin Fish and Wildlife Authority, Portland, Oregon. ODFW, Portland, WDFW, Olympia, and USFWS, Portland. August 30.
- Olson, F. W., and V. Kaczynski. 1980. Survival of downstream migrant coho salmon and steelhead through bulb turbines. CH2M Hill to Public Utility District No. 1 of Chelan County, Washington.

- OWRD (Oregon Water Resources Department). 1993. Memorandum re: weak stocks and water supply conflicts, to D. Moscowitz et al. from T. Kline and B. Fuji, OWRD, Salem. September 17.
- Park, D. L. 1969. Seasonal changes in downstream migration of age-group 0 chinook salmon in the upper Columbia River. Transactions of the American Fisheries Society 98:315-317.
- Park, D. L., and G. M. Matthews. 1982. Evaluation of transportation and related research, 1982. Interim Research Report of National Marine Fisheries Service, Northwest and Alaska Fisheries Center, Coastal Zone and Estuarine Studies Division, Seattle, Washington, to U.S. Army Corps of Engineers.
- Park, D., G. Matthews, J. Smith, T. Ruehle, J. Harmon, and S. Achord. 1984. Evaluation of transportation of juvenile salmonids and related research on the Columbia and Snake Rivers, 1983. National Marine Fisheries Service, Seattle, Washington, to U.S. Army Corps of Engineers, Northwest Pacific Division, Portland, Oregon.
- Peery, C. 1998. Fax re: passage times at Snake River dams, to J. Ceballos, NMFS, from C. Peery, Idaho Cooperative Fish and Wildlife Research Unit, University of Idaho, Moscow. April 9.
- Peters, C. N, and D. Marmorek, editors. 2000. PATH: preliminary evaluation of the learning opportunities and biological consequences of monitoring and experimental management actions. ESSA Technologies, Ltd., Vancouver, B.C. April 11.
- Peters, C. N, D. R. Marmorek, and I. Parnell, editors. 1999. Plan for analyzing and testing hypotheses (PATH): decision analysis report for Snake River fall chinook. ESSA Technologies Ltd., Vancouver, B.C.
- Petrosky, C. E. 1992. Analysis of flow and velocity effects: smolt survival and adult returns of wild spring and summer chinook. Idaho Department of Fish and Game, Chinook Smolt Workshop, Draft Summary, Boise, Idaho.
- Petrosky, C., and H. Schaller. 1992. A comparison of productivities for Snake River and lower Columbia River spring and summer chinook stocks. Proceedings of 1992 northeast Pacific chinook and coho workshop, salmon management in the 21st century: recovering stocks in decline. Idaho Chapter of the American Fisheries Society, Boise.
- PFMC (Pacific Fishery Management Council). 1998a. Amendment 8 to coastal pelagic species fishery management plan. PFMC, Portland, Oregon. December.

- PFMC (Pacific Fishery Management Council). 1998b. Final environmental assessment: regulatory review for Amendment 11 to Pacific Coast groundfish fishery management plan. PFMC, Portland, Oregon.
- Phelps, S. R., L. L. LeClair, S. Young, and H. L. Blankenship. 1994. Genetic diversity patterns of chum salmon in the Pacific Northwest. Canadian Journal of Fisheries and Aquatic Sciences 51(Suppl. 1):65-83.
- Phillips, J. B. 1964. Life history studies on ten species of rockfish. California Department of Fish and Game, Fish Bulletin 126.
- Ploskey, G. R., and eight others. 1999. Hydroacoustic evaluation of juvenile salmon passage at The Dalles Dam, 1999. U.S. Army Corps of Engineers Technical Report.
- Poe, T. P., H. C. Hansel, S. Vigg, D. E. Palmer, and L. A. Prendergast. 1991. Feeding of predaceous fishes on out-migrating juvenile salmonids in John Day Reservoir, Columbia River. Transactions of the American Fisheries Society 120:405-420.
- Poe, T. P., M. G. Mesa, R. S. Shively, and R. D. Peters. 1994. Development of biological criteria for siting and operation of juvenile bypass systems: implications for protecting juvenile salmonids from predation. Pages 169-176 *in* Proceedings of symposium on fish passage responsibility and technology, American Fisheries Society Annual Meeting, 1993, Portland, Oregon.
- Quigley, T. M., and S. J. Arbelbide, editors. 1997. An assessment of ecosystem components in the interior Columbia River basin and portions of the Klamath and Great basins. Volume 3 *in* T. M. Quigley, editor. The interior Columbia basin ecosystem management project: scientific assessment, 4 volumes. U.S. Department of Agriculture, Forest Service, Pacific Northwest Research Station, General Technical Report PNW-GTR-405, Portland, Oregon.
- Raymond, H. L. 1968. Migration rates of yearling chinook salmon in relation to flows and impoundments in the Columbia and Snake rivers. Transactions of the American Fisheries Society 97:356-359.
- Raymond, H. L. 1969. Effect of John Day reservoir on the migration rate of juvenile chinook salmon and steelhead in the Columbia River. Transactions of the American Fisheries Society 98:513-514.
- Raymond, H. L. 1979. Effects of dams and impoundments on migrations of juvenile chinook salmon and steelhead from the Snake River, 1966 to 1975. Transactions of the American Fisheries Society 108:505-529.

- Raymond, H. L. 1988. Effects of hydroelectric development and fisheries enhancement on spring and summer chinook salmon and steelhead in the Columbia River basin. North American Journal of Fisheries Management 8:1-23.
- Reimers, P. E., and R. E. Loeffel. 1967. The length of residence of juvenile fall chinook salmon in selected Columbia River tributaries. Fish Commission of Oregon 13:5-19.
- Reisenbichler, R. R., J. D. McIntyre, M. F. Solazzi, and S. W. Landino. 1992. Genetic variation in steelhead of Oregon and northern California. Transactions of the American Fisheries Society 121:158-162.
- Rich, W. H. 1920. Early history and seaward migration of chinook salmon in the Columbia and Sacramento rivers. Bulletin of the U.S. Bureau of Fisheries 37:1-74.
- Rich, W. H. 1942. The salmon runs of the Columbia River in 1938. Fisheries Bulletin 50:103-147.
- Ricker, W. E. 1959. Evidence for environmental and genetic influence on certain characters which distinguish stocks of the Pacific salmons and steelhead trout. Fisheries Research Board of Canada, Biological Station, Nanaimo, B.C.
- Rieman, B. E., R. C. Beamesderfer, S. Vigg, and T. P. Poe. 1991. Estimated loss of juvenile salmonids to predation by northern squawfish, walleyes, and smallmouth bass in John Day Reservoir, Columbia River. Transactions of the American Fisheries Society 120:448-458.
- Roby, D. D., D. P. Craig, K. Collis, and S. L. Adamany. 1998. Avian predation on juvenile salmonids in the lower Columbia River. Report to Bonneville Power Administration and U.S. Army Corps of Engineers. Oregon Cooperative Fish and Wildlife Research Unit, Corvallis, and Columbia River Inter-Tribal Fish Commission, Portland, Oregon. September revision.
- Roedel, P. M. 1948. Common marine fishes of California. California Department of Fish and Game, Fish Bulletin 68.
- Roedel, P. M. 1953. Common ocean fishes of the California coast. California Department of Fish and Game, Fish Bulletin 91.
- Ruggerone, G. T. 1986. Consumption of migrating juvenile salmonids by gulls foraging below a Columbia River dam. Transactions of the American Fisheries Society 115:736-742.

- Salo, E. O. 1991. Life history of chum salmon, *Oncorhynchus keta*. Pages 231-309 *in* C. Groot and L. Margolis, editors. Pacific salmon life histories. University of British Columbia Press, Vancouver, B.C.
- Sandercock, F. K. 1991. Life history of coho salmon (*Oncorhynchus kisutch*). Pages 395-445 *in* C. Groot and L. Margolis, editors. Pacific salmon life histories. University of British Columbia Press, Vancouver, B.C.
- Schaller, H. A., C. E. Petrosky, and O. P. Langness. 1999. Contrasting patterns of productivity and survival rates for stream-type chinook salmon (*Oncohynchus tshawytscha*) populations of the Snake and Columbia rivers. Canadian Journal of Aquatic Sciences 56:1031-1045.
- Schaller, H. A., C. E. Petrosky, and O. P. Langness. 2000. Reply to Zabel and Williams' comments on "Contrasting patterns of productivity and survival rates for stream-type chinook salmon (*Oncorhynchus tschawytscha*) populations of the Snake and Columbia rivers" by Schaller et al. (1999). Canadian Journal of Fisheries and Aquatic Sciences 57:1742-1746.
- Scholz, N. L., N. K. Truelove, B. L. French, B. A. Berejikian, T. P. Quinn, E. Casillas, and T. K. Collier. 2000. Diazinon disrupts antipredator and homing behaviors in chinook salmon (*Oncorhynchus tshawytscha*). Canadian Journal of Aquatic Sciences 57:1911-1918.
- Schreck, C. B. H. W. Li, R. C. Jhort, and C. S. Sharpe. 1986. Stock identification of Columbia River chinook salmon and steelhead trout. Final report to Bonneville Power Administration, Portland, Oregon (Project 83-451).
- Schuck, M. L. 1992. Observations on the effects of reservoir drawdown on the fishery resource behind Little Goose and Lower Granite dams, March 1992. Washington Department of Fish and Wildlife, Report 92-13, Olympia.
- Sherwood, C., D.J.B. Harvey, P. Hamilton, and C. Simenstad. 1990. Historical changes in the Columbia River estuary. Progress in Oceanography 25:271-298.
- Shively, R. S., R. A. Tabor, R. D. Nelle, D. B. Jepsen, J. H. Petersen, S. T. Sauter, and T. P. Poe. 1991. System-wide significance of predation on juvenile salmonids in the Columbia and Snake river reservoirs. Bonneville Power Administration, Annual Report, Portland, Oregon.

- Sigler, J. W., T. C. Bjornn, and F. H. Everest. 1984. Effects of chronic turbidity on density and growth of steelheads and coho salmon. Transactions of the American Fisheries Society 113:142-150. *In* T. F. Waters. Sediment in streams sources, biological effects, and control. American Fisheries Society Monograph 7 (1995), Bethesda, Maryland.
- Simenstad, C. A., K. L. Fresh, and E. O. Salo. 1982. The role of Puget Sound and Washington coastal estuaries in the life history of Pacific salmon: an unappreciated function. Pages 343-364 *in* V. S. Kennedy, editor. Estuarine comparisons. Academic Press, New York.
- Simenstad, C. A., D. A. Jay, and C. R. Sherwood. 1992. Impacts of watershed management on land-margin ecosystems: the Columbia River Estuary as a case study. Pages 266-306 *in* R. Naimen, editor. New perspectives for watershed management: balancing long-term sustainability with cumulative environmental change. Springer-Verlag, New York.
- Simenstad, C., L. Small, and C. McIntyre. 1990. Consumption processes and food web structure in the Columbia river estuary. Progress in Oceanography 25:271-298.
- Simmons, D. 2000. Excel spreadsheet: Snake River fall chinook, annual adult equivalent exploitation rates (AEQ Catch/[AEQ Catch + Escapement]) adjusted to joint staff estimates of ocean escapement. E-mail. National Marine Fisheries Service, Sustainable Fisheries Division, Seattle, Washington. October 2.
- Smith, S. G., W. D. Muir, G. A. Axel, R. W. Zabel, and J. G. Williams. 2000. Survival estimates for the passage of juvenile salmonids through Snake and Columbia River dams and reservoirs. National Marine Fisheries Service to Bonneville Power Administration, BPA Report DOE/BP-17679-1, Portland, Oregon.
- Smith, S. G., W. D. Muir, E. E. Hockersmith, S. Achord, M. B. Eppard, T. E. Ruehle, and J. G. Williams. 1998. Survival estimates for the passage of juvenile salmonids through Snake River dams and reservoirs, 1996. National Marine Fisheries Service, Northwest Fisheries Science Center, Seattle, Washington, to Bonneville Power Administration, Portland, Oregon.
- Spence, B. C., G. A. Lomnicky, R. M. Hughes, and R. P. Novitzki. 1996. An ecosystem approach to salmonid conservation. ManTech Environmental Research Services, Inc., Corvallis, Oregon, to National Marine Fisheries Service, Habitat Conservation Division, Portland, Oregon (Project TR-4501-96-6057).
- Spurgeon, W., and 16 coauthors. 1997. Juvenile fish transportation program. U.S. Army Corps of Engineers, Walla Walla District, Walla Walla, Washington.

- Stanford, J. A., and J. V. Ward. 1992. Management of aquatic resources in large catchments: recognizing interactions between ecosystem connectivity and environmental disturbance. Pages 91-124 *in* R. J. Naiman, editor. Watershed management: balancing sustainability and environmental change. Springer-Verlag, New York.
- Steel, E. A. 1999. In-stream factors affecting juvenile chinook salmon migration. Doctoral dissertation. University of Washington, Seattle.
- Steig, T. W. 1994. Review of spring and summer spill effectiveness for juvenile salmon and steelhead at various Columbia and Snake river dams, 1983-1992. Thirteenth Annual Symposium of the North American Lake Management Society, Seattle, Washington, November 29 December 4, 1993. Lake and Reservoir Management 9(1):154-162.
- Steig, T. W., and W. R. Johnson. 1986. Hydroacoustic assessment of downstream migrating salmonids at The Dalles Dam in spring and summer 1985. Report to Bonneville Power Administration, Portland, Oregon.
- Steigenberger, L. W., and P. A. Larkin. 1974. Feeding activity and rates of digestion of northern squawfish (*Ptychocheilus oregonensis*). Journal of the Fisheries Research Board of Canada 31:411-420.
- Sullivan, R., L. Johnson, and T. H. Schadt. 1986. Hydroacoustic evaluation of downstream migrating salmonids at Ice Harbor Dam in spring 1986. Draft Final Report of Parametrix, Bellevue, Washington, to U.S. Army Corps of Engineers, Walla Walla District, Walla Walla, Washington.
- Tabor, R. A., R. S. Shively, and T. P. Poe. 1993. Predation of juvenile salmonids by smallmouth bass and northern squawfish in the Columbia River near Richland, Washington. North American Journal of Fisheries Management 13:831-838.
- Thomas, D. W. 1981. Historical analysis of the Columbia River estuary: an ecological approach. Draft Report to Columbia River Estuary Study Taskforce.
- Tinus, E. 2000. Pre-1971 abundance for index stocks. Excel spreadsheet \svr99_1_12_2000.xls. Oregon Department of Fish and Wildlife, Portland. January 12.
- Turner, A. R., J. R. Kuskie, and K. E. Kostow. 1983. Evaluation of adult fish passage at Little Goose and Lower Granite dams, 1981. U.S. Army Corps of Engineers, Portland District, Portland, Oregon.
- Turner, A. R., J. R. Kuskie, and K. E. Kostow. 1984. Evaluations of adult fish passage at Ice Harbor and Lower Monumental dams, 1982. U.S. Army Corps of Engineers, Portland District, Portland, Oregon.

- Turner C. H., and J. C. Sexsmith. 1967. Marine baits of California. California Department of Fish and Game, Sacramento.
- USFWS (U.S. Fish and Wildlife Service). 1995. Letter re: review of supplemental biological assessment for operation of Federal Columbia River Power System, to Maj. Gen. E. J. Harrell, U.S. Army Corps of Engineers, from USFWS, Portland, Oregon. March 1.
- USFWS (U.S. Fish and Wildlife Service). 1999. Fish and Wildlife Coordination Act report. Appendix M *in* U.S. Army Corps of Engineers, Lower Snake River juvenile salmon migration feasibility report/environmental impact statement. Corps, Walla Walla District, Walla Walla, Washington.
- USFWS (U.S. Fish and Wildlife Service). 2000a. Biological opinion: effects of listed species from operations of the Federal Columbia River Power System. USFWS, regions 1 and 6, Draft Report. July 27.
- USFWS (U.S. Fish and Wildlife Service). 2000b. Presentation on Ives Island studies. Handout for meeting with fisheries comanagers at National Marine Fisheries Service, Portland, Oregon. USFWS, Columbia River Fisheries Program Office, Vancouver, Washington. February 16.
- Van Hyning, J. M. 1973. Factors affecting the abundance of fall chinook salmon in the Columbia River. Research Report for Fisheries Commission of Oregon 4:3-87.
- Vigg, A., and C. C. Burley. 1991. Temperature dependent maximum daily consumption of juvenile salmonids by northern squawfish (*Ptchocheilus oregonensis*) from the Columbia River. Canadian Journal of Fisheries and Aquatic Sciences 48:2491-2498.
- Vigg, S., T. P. Poe, L.A. Prendergast, and H. C. Hansel. 1991. Rates of consumption of juvenile salmonids and alternate prey fish by northern squawfish, walleyes, smallmouth bass, and channel catfish in John Day Reservoir, Columbia River. Transactions of the American Fisheries Society 120:421-438.
- Vinyard, G. L., and W. J. O'Brien. 1976. Effects of light and turbidity on the reactive distance of bluegill (*Lepomis macrochirus*). Journal of the Fisheries Research Board of Canada 33:2845-2849.
- Walford, L. A. 1931. Handbook of common commercial and game fishes of California. California Division of Fish and Game, Bureau of Commercial Fisheries, Fish Bulletin 28.
- Waples, R. S. 1999. Dispelling some myths about hatcheries. Fisheries 24(2):12-21.

- Waples, R. 2000a. Memorandum re: natural spawning hatchery fish, to B. Brown from National Marine Fisheries Service, Northwest Fisheries Science Center, Seattle, Washington. July 7.
- Waples, R. 2000b. Preliminary reaction to comments. E-mail to C. Toole and M. McClure from National Marine Fisheries Service, Northwest Fisheries Science Center, Seattle, Washington. October 30.
- Waples, R. S., O. W. Johnson, and R. P. Jones, Jr. 1991. Status review for Snake River sockeye salmon. National Marine Fisheries Service, Northwest Fisheries Science Center, NOAA Technical Memorandum NMFS F/NWC-195, Seattle, Washington.
- Ward, D. L., J. H. Peterson, and J. J. Loch. 1995. Index of predation on juvenile salmonids by northern squawfish in the lower and middle Columbia River and in the lower Snake River. Transactions of the American Fisheries Society 124:321-334.
- Waring, C.P., and A. Moore. 1997. Sublethal effects of a carbamate pesticide on pheromonal mediated endocrine function in mature male Atlantic salmon (*Salmo salar L.*) parr. Fish Physiology and Biochemistry 17:203-211.
- Waters, T. F. 1995. Sediment in streams: sources, biological effects, and control. American Fisheries Society Monograph 7, Bethesda, Maryland.
- WDFW (Washington Department of Fish and Wildlife), ODFW (Oregon Department of Fish and Wildlife), IDFG (Idaho Department of Fish and Game), and CRITFC (Columbia River Inter-Tribal Fish Commission). 1995. Spill and 1995 risk management. Olympia, Boise, and Portland.
- WDF (Washington Department of Fisheries), WDW (Washington Department of Wildlife), and WWTIT (Western Washington Treaty Indian Tribes). 1993. Washington state salmon and steelhead stock inventory (SASSI), 1992. WDF, WDW, and WWTIT, Olympia.
- Weatherley, A. H., and H. S. Gill. 1995. Growth. Pages 103-149 *in* C. Groot, L. Margolis, and W. C. Clarke, editors. Physiological ecology of Pacific salmon. University of British Columbia Press, Vancouver, B.C.
- Weitkamp, D. E., and M. Katz. 1980. A review of dissolved gas supersaturation literature. Transactions of the American Fisheries Society 109:659-702.
- Weitkamp, D. E., J. P. Michaud, and J. G. Osborn. 1986. Downstream migrant estimates Rocky Reach and Rock Island dams. Parametrix, Inc., for Chelan County PUD, Wenatchee, Washington.

- Weitkamp, L. A. 1994. A review of the effects of dams on the Columbia River estuarine environment, with special reference to salmonids. National Marine Fisheries Service, Northwest Fisheries Science Center, Coastal Zone Estuary Studies Division, Seattle, Washington, to Bonneville Power Administration, Portland, Oregon.
- Whitney, R. R., L. Calvin, M. Erho, and C. Coutant. 1997. Downstream passage for salmon at hydroelectric projects in the Columbia River basin: development, installation, and evaluation. U.S. Department of Energy, Northwest Power Planning Council, Report 97-15, Portland, Oregon.
- Whitt, C. R. 1954. The age, growth, and migration of steelhead trout in the Clearwater River, Idaho. Master's thesis. University of Idaho, Moscow.
- Williams, J. G., S. S. Smith, and W. D. Muir. In review. Survival estimates for downstream migrant yearling juvenile salmonids through the Snake and Columbia River hydropower system, 1960-1980 and 1993-1999. National Marine Fisheries Service, Northwest Fisheries Science Center, Seattle, Washington. Submitted to North American Journal of Fisheries Management.
- Wilson, P. H. 2000. Comments on BiOp Appendix C. E-mail to C. Toole, National Marine Fisheries Service. October 2.
- Wood, C. C. 1987. Predation of juvenile Pacific salmon by the common merganser (*Mergus merganser*) on eastern Vancouver Island. Part 1: predation during the seaward migration. Canadian Journal of Fisheries and Aquatic Sciences 44:941-949.
- Wood, D. 2000. Memorandum to M. Dehart, Fish Passage Center, Portland, Oregon. February 11.
- Yearsley, J. 1999. Columbia River temperature assessment: simulation models. U.S. Environmental Protection Agency, Region 10, Seattle, Washington.
- Zabel, R. W., and J. G. Williams. 2000. Comments on "Contrasting patterns of productivity and survival rates for stream-type chinook salmon (*Oncorhynchus tschawytscha*) populations of the Snake and Columbia rivers" by Schaller et al. (1999). Canadian Journal of Fisheries and Aquatic Sciences 57:1739-1741.
- Zaret, T. M. 1979. Predation in freshwater communities. Pages 135-143 *in* H. Clepper, editor. Predator-prey systems in fisheries management. Sport Fishing Institute, Washington, D.C.

- Zaugg, W. S. 1981. Relationships between smolt indices and migration in controlled and natural environments. Pages 173-183 in E. L. Brannon and E. O. Salo, editors.Proceedings of the salmon and trout migratory behavior symposium. University of Washington, Seattle.
- Zaugg, W. S. 1981. Advanced photoperiod and water temperature effects on gill Na+-K+ ATPase adenosine triphosphate activity and migration of juvenile steelhead (*Salmo gairdneri*). Canadian Journal of Fisheries and Aquatic Sciences 38:758-764.
- Zaugg, W. S. 1989. Migratory behavior of underyearling *Oncorhynchus tshawytscha* and survival to adulthood related to prerelease gill (Na+ K+)-ATPase development. Aquaculture 82:339-353.
- Zaugg, W. S., and H. H. Wagner. 1973. Gill ATPase activity related to parr-smolt transformation and migration in steelhead trout (*Salmo gairdneri*): influence of photoperiod and temperature. Comparative Biochemical Physiology 45:955-965.